

Maryland Department of Human Services Office of Licensing and Monitoring 311 W. Saratoga Street Baltimore, Maryland 21201 Office: 410.767.7871 Fax: 410.333.8408

Provider Organization: Inner County Outreach, Inc.

Licensing Agency: DHS

Program Administrator: Pastor Nathaniel Johnson

Certification # A000139 **Exp. Date:** 12/31/19

DHS

Contracting Agency(s):

Type of Inspection: Quarterly

Site Name	Gender	Age Range	License Capacity	DHS Contract Limit	License#/ Exp. date	Date of site Inspection
Harewood	Male	14-18	6	6	#00243	5/24/19
					11/4/19	
Overlea	Female	16-20	6	6	#00504	5/23/19
					11/4/19	

Inspection Summary

Number of Records Reviewed: Youth 0 Staff 2

Number of Interviews: Youth 0 Staff 0

Physical Plant Inspection: Approved

Current COMAR Violation: Yes X No

If Yes, list Cited Violation(s) below:

Violation(s)	Findings			
14.31.06.07A(2)	Physical Plant deficiency with ceiling fan			
14.31.06.07.A(1)	Physical Plant deficiency with the smoke detector			
14.31.06.07E(4)(a)	Physical Plant deficiency holes in bedroom walls			
14.31.06.07K)1)	Physical Plant deficiency front panel missing off electrical socket			
14.31.06.07F(3)	Physical Plant box spring needs to be cleaned			
14.31.06.07F(3)(d)	Physical Plant beds to close to slated ceiling			
14.31.06.07C(1)	Physical Plant wood floor had expose nails			
14.31.06.07I	Physical Plant kitchen cabinet missing front panel.			
14.31.06.07E(5)	Physical plant baseboards had graffiti and unclean			
14.31.06.05E(1)(b)	Neither of the 2 employee records had references			
14.31.06.06.D(3)	Neither 2 employee records had confidentiality statments			
14.31.06.05E(1)(m)	Neither of the 2 records had child abuse statements.			
14.31.06.05E(1)(g)	Neither of the 2 records had I-9 forms			
14.31.06.05D(1)	Neither of the 2 records had a job description			
14.31.06.05E(1)(l)	Neither of the 2 records had driving records			
14.31.05.06A(2)(f)	1 record out of 2 did not have the RCYCP certification			

Corrective Action Plan: Yes X No

If yes, date of CAP: 5/24/19

Any Violations During Mid or Re-Licen If Yes See Report(s) Date(s):	Yes N	No NA	
Complaint Outcome: N/A			
Current Status of License: Continued			
Licensing Coordinator: Odetta Bulluck	Date: 6/4/2	019 Email:	Odetta.squire-bulluck@maryland.gov
Program Manager: Andre Thomas	Date: 6/7/2	019 Email:	Andre.thomas@maryland.gov